


Arcos

Equipo Pujol





A-914/30



A-914/15



A-914/90

A-914/60

A-914/30





A-911/120



A-911/80



A-913/60 LED



A-913/90 LED



PL-912-40 LED




PL-912/60 LED

IP20 RF850° DIMMABLE

C NM B N CU OX PL

A-914 / XX




Ref.		W	Lumens	Kelvin		A	B	C
A-914/15	LED	16	2650	3000	DIMMABLE	150	45	100
A-914/30	LED	16	2650	3000	DIMMABLE	300	45	100
A-914/60	LED	32	5300	3000	DIMMABLE	600	45	100
A-914/90	LED	47	7950	3000	DIMMABLE	900	45	100
A-914/120	LED	62	10600	3000	DIMMABLE	1200	45	100
A-914/150	LED	78	13250	3000	DIMMABLE	1500	45	100

IP20 RF850°

C NM B

A-911 / XX




Ref.		W	Lumens	Kelvin		A	B	C
A-911/15	1xR7s LED 118mm					150	45	100
A-911/15 LED	LED	12	860	3000		150	45	100
A-911/25	1xR7s LED 118mm					250	45	100
A-911/25 LED	LED	12	860	3000		250	45	100
A-911/40	2xR7s LED 118mm					400	45	100
A-911/40 LED	LED	19	1400	3000		400	45	100
A-911/60	3xR7s LED 118mm					600	45	100
A-911/60 LED	LED	19	1400	3000		600	45	100
A-911/80	2xT5	24 max.				800	45	100
A-911/80 LED	LED	29	2150	3000		800	45	100
A-911/120	1xT5	54 max.				1200	45	100
A-911/120 LED	LED	44	3300	3000		1200	45	100
A-911/150	1xT5	80 max.				1500	45	100
A-911/150 LED	LED	56	4150	3000		1500	45	100

IP20 RF850°

C NM B

A-913 / XX




Ref.		W	Lumens	Kelvin		A	B	C
A-913/60	1xT5	24				600	45	100
A-913/60 LED	LED	16	2650	3000		600	45	100
A-913/90	1xT5	39				900	45	100
A-913/90 LED	LED	23	4000	3000		900	45	100
A-913/120	1xT5	54				1200	45	100
A-913/120 LED	LED	31	5300	3000		1200	45	100
A-913/150	1xT5	80				1500	45	100
A-913/150 LED	LED	39	6650	3000		1500	45	100

IP20 RF850°

C NM

PL-912 - XX



Ref.		W	Lumens	Kelvin		A	B	C
PL-912-20 LED	LED	17	2220	3000		200	200	70
PL-912-40 LED	LED	23	3300	3000		400	400	70
PL-912-60 LED	LED	35	4600	3000		600	600	70